



Multi-Dumper elektro



light cargo tray 450ltr.
dimensions: 1160x850x565mm




plastic tray massive 350ltr.
dimensions: 1140 x 770 x 490 mm



MCE400



Technical Data



Drive	electric
Electric tension	24V
Power	1000 W
Climbing ability	max. 40 %
Revolutions per minute	2200 RPM

Operational specs.	
Weight	130 kg
Max. Payload	400 kg
Capacity	110 Liter (standard)
Dumping device	mechanical / pneumatically backed
Operating time	8 – 10 h
Working speed	0 – 6 Km/h forward, progressively adjustable 0 – 3 Km/h backward, progressively adjustable

Series fabrication type
2 Accumulator batteries à 12V / 110Ah
Battery charger
Field tyres 16x6.50-8
Differential Gear
Swing axle

Optional extensions
electric lifting cylinder system
Rotary Sweeper 85cm incl. collector 60ltr.
Rotary Sweeper 105cm adjustable
Snow plough 85cm incl. Special rubber strip
Snow chains
Transport box (900 x 790 x 260mm)
Multi-Cleaner 520ltr.
Light cargo tray 450ltr. (1160 x 850 x 565mm)
Watertank 200ltr.
Feed wagon
Seat with spring borne and foot service brake

Authorised dealer:



Baumaschinen GmbH

Niederhöchstädter Str. 71-73 D-61476 Kronberg
 Tel.: +49-(0)6173-68558 Fax: +49-(0)6173-68548
 E-Mail: info@powerpac.de Internet: www.powerpac.de

accessories:



transport platform with adjustable
width load carrying beds 90x79x26cm



wood carrying platform



sweeper 105cm - mech. pivoting
incl. adapter



sweeper 85cm - mech. pivoting
incl. collector 60ltr. and adapter



Seat with spring borne,
foot service brake and adapter



sweeper 85cm - mech. pivoting
incl. snow blade 85cm and adapter



forage / feet tray 300ltr.
based on MCE400 with a longer frame



Multi-Cleaner type MCS520
based on MCE400 with a longer frame

high quality equipment:

- 4-wheel configuration (huge advance in collateral stability, better load spreading, easy to drive and possible to passing over 2 ramps)
- locking mechanism possible for steering wheels for example operations on steep slopes, thereby not possible to turn away the steering wheels
- max payload: 400kg
- operating time: 8-10 hours
- serially integrated charger
- serially field tyres 16x6.5x8
- serially gas-pressure damper for light tipping
- longer frame construction for huge stability
- thumb lever for better driving regulations
- steel tube frame diameter 40mm
- maintenance free 2 x lead/fleece batteries à 12V 80AH
- gearbox with differential compensation
- gear transmission 1:21

suggested uses:

- festivals/arboricultural college/motorists
- low/high-level civil engineering work
- building redevelopment
- construction vehicle hire
- local authority use (e.g. clearing fallen leaves, snow, general transport work and lots more)
- caretaker service (e.g. clearing fallen leaves, snow, general transport work and lots more)
- cleaning services
- agriculture (e.g. moving feedstuff, transport work and lots more)
- stables, riding areas (e.g. to vacuum horse manure, general transport work, etc.)
- retirement homes/businesses/hotels/restaurants
- clinics/hospitals/firms/car dealerships, etc. (wherever fallen leaves and snow need to be removed from paths and squares, transport work, etc.)
- landowners (e.g. moving grass clippings, wood, clearing snow, etc.)
- army/fire service/civil defence
- vineyards (e.g. for transport work over difficult terrain)
- stonecutting (e.g. for transport work)
- container services (for transport work and as a service to customers)
- builders merchants (for transport work and as a service to customers)
- campsites (to move caravans, transport work, etc.)
- forestry and hunting (e.g. feeding game in winter or transporting tools for forestry staff, etc.)
- zoos and wildlife parks